

Geotechnical Technical Memorandum

For the

PD&E Study for Widening Florida's Turnpike (SR 91)
from South of I-595 to Wiles Road
FPID: 442212-1-22-01
Broward County, Florida

Prepared for

Florida's Turnpike Enterprise

December 2022

Prepared by

TIERRA SOUTH FLORIDA, INC.
2765 Vista Parkway, Suite 10
West Palm Beach, FL 33411
TSFGEO Project No.: 7111-19-168

Contents

Introduction	1
1.1 Project Description	1
1.2 Purpose & Need	2
1.3 Purpose of this Geotechnical Study	2
Review of Existing Subsurface Information	3
2.1 Review of USDA Soil Survey	3
2.2 Review of USGS Maps for Seasonal High Groundwater Information	3
2.3 Review of Subsurface Information from Previous Projects	4
Engineering Evaluation and Preliminary Recommendations	5
3.1 General	5
3.2 Embankment Construction	5
3.3 Excavations	5
3.4 Groundwater Control	5
3.5 Monitor Existing Structures	5
3.6 General Guideline for Design Phase Geotechnical Study	5
Report Limitations	6
APPENDIX: USDA-NRCS Soil Survey Information	

SECTION 1

Introduction

1.1 Project Description

The Florida Department of Transportation (FDOT), Florida's Turnpike Enterprise (FTE), is evaluating alternatives to widen the Florida's Turnpike Mainline from south of I-595 (milepost [MP] 53) to Wiles Road (MP 70), approximately 17 miles. The project is located in Broward County, Florida and is contained within the following eleven municipalities Coconut Creek, Davie, Deerfield Beach, Fort Lauderdale, Lauderdale Lakes, Lauderhill, Margate, North Lauderdale, Plantation, Pompano Beach and Tamarac. Figure 1-1 Project Location Map shows the limits of the PD&E Study.




Figure 1-1 Project Location Map

Currently, the Turnpike Mainline is typically eight to ten lanes (four lanes plus an auxiliary lane in each direction) from south of I-595 to south of Atlantic Boulevard and six lanes (three lanes in each direction) from south of Atlantic Boulevard to Wiles Road. The study consists of evaluating the widening of the Turnpike Mainline to ten lanes plus an auxiliary lane from south of I-595 (MP 53) to south of Atlantic Boulevard (MP 66) and widening to ten lanes from Atlantic Boulevard (MP 66) to Wiles Road (MP 70).

Land use adjacent to the Turnpike Mainline within the project limits is predominately residential with areas of commercial and industrial land uses toward the northern end of the project.

The improvements being evaluated also include milling and resurfacing, bridge construction and existing interchange improvements. The existing interchanges within the limits of the study include I-595, Sunrise Boulevard, Commercial Boulevard, Atlantic Boulevard, Coconut Creek Parkway and Sample Road. The evaluation for two potential new reliever interchanges, one at Cypress Creek Road/McNab Road and one at Oakland Park Boulevard, is also part of the PD&E Study.

1.2 Purpose & Need

The purpose of this project is to evaluate increase capacity of Florida's Turnpike Mainline to accommodate future traffic volumes generated by anticipated growth and development in Broward County, Florida.

Population and employment projections referenced in the Broward Metropolitan Planning Organization's (MPO) Long Range Transportation Plan (LRTP), Commitment 2045, indicate that the population of Broward County is expected to grow from 1.9 million to 2.2 million (15.7% increase) between 2018 and 2045. Employment is projected to grow by 25% through 2045. Furthermore, the Southeast Florida region, made up of Broward County, Miami-Dade County, and Palm Beach County, collectively has a population of 5.85+ million people and is expected to reach nearly 7.5 million over the next 25 years, making it the fourth most populous urbanized area in the nation.

Widening of Florida's Turnpike Mainline is needed to accommodate Year 2045 travel demands, to enhance the safety of the corridor and the mobility in the area. The potential new interchanges would relieve existing interchanges improving current and future traffic operations, improve regional connectivity, and enhance emergency response and evacuation.

1.3 Purpose of this Geotechnical Study

The purpose of this geotechnical study was to perform a preliminary geotechnical engineering data review (a desk top review of available geotechnical data from United States Department of Agriculture (USDA) Soil Survey, United States Geological Survey (USGS) and from previous projects) and provide a technical memorandum.

SECTION 2

Review of Existing Subsurface Information

2.1 Review of USDA Soil Survey

Based on a review of the Broward County Area Soil Maps published by USDA-NRCS, the soil-mapping units noted in the vicinity are predominantly as follows:

- | | |
|--|--|
| 2—Arents-Urban land complex | 19—Margate fine sand, occasionally ponded, 0 to 1 percent slopes |
| 3—Arents, organic substratum-Urban land complex | 20—Matlacha, limestone substratum-Urban land complex |
| 4—Basinger fine sand, 0 to 2 percent slopes | 27—Plantation muck |
| 14—Matlacha gravelly fine sand, limestone substratum | 29—Pompano fine sand, 0 to 2 percent slopes |
| 15—Immokalee fine sand, 0 to 2 percent slopes | 33—Sanibel muck |
| 16—Immokalee, limestone substratum-Urban land complex | 36—Udorthents |
| 17—Immokalee-Urban land complex | 38—Udorthents, shaped |
| 18—Lauderhill muck, frequently ponded, 0 to 1 percent slopes | 39—Udorthents-Urban land complex |
| | 40—Urban land, 0 to 2 percent slopes |
| | 99—Water |

Project Location Map and USDA soil survey Map are presented in the Appendix.

2.2 Review of USGS Maps for Seasonal High Groundwater Information

Seasonal high groundwater levels are expected to be controlled by existing drainage features present at the project vicinity. Estimated seasonal high groundwater table levels are expected to vary from elevation about +1 feet (NAVD 1988) at the south end of the project to about +10.0 feet at the north end of the project. These estimates are based on Broward County average wet season water table map. Existing Profile Grade Lines (PGL) along the project corridor, excluding bridge approach areas, generally vary from +1 to +17 feet, increasing from south to north.

It should be noted that several improvement/widening projects have been implemented in the past within and around the project area. Hence, we recommend the project design be coordinated also with the existing permits from previous constructions, profiles of existing roadway and drainage structures, and the SHCMT and Design High Water (DHW) elevations be adjusted accordingly for a smooth transition in roadway and drainage profiles.

2.3 Review of Subsurface Information from Previous Projects

Subsurface information in the project vicinity from previous projects was reviewed. For this, TSFGEO has reviewed the available roadway plans from the following projects:

- 406094-1 Turnpike Southbound Widening from Griffin Road to Sunrise Boulevard
- 406094-4 Turnpike Northbound Widening from Peters Road to Sunrise Boulevard
- 406097-1 Turnpike Southbound Widening from Sunrise Boulevard to Atlantic Boulevard
- 406097-4 Turnpike Northbound Widening from Sunrise Boulevard to Atlantic Boulevard
- 406150-1 Turnpike Widening from Atlantic Boulevard to Wiles Road
- 420809-3 I-595 at Turnpike Segments 8A and 8B
- 429339-1 AET Phase 5A

Review of USDA Soil Survey Maps and roadway plans from previous constructions indicates that the subsoils in the project vicinity are typically sandy soils (sand and silty sand) with or without limerock/limestone fragments and limestone. AASHTO classification of the soils are predominantly A-3, A-2-4, A-1-a and A-1-b.

Review of existing data also indicates presence of organic soils (muck) at several locations along the project corridor. Previous construction plans (widening from Griffin Road to Atlantic Boulevard) required removal of muck within 1V:2H control line. However, organic soils existed inside swales/canals might not have been completely removed during previous constructions. Hence, presence of organic soils (muck) and plastic soils (A-2-6 and A-4 soils) that would require removal and replacement can be expected at isolated locations along the project corridor. However, in our opinion, this will not have any significant impact on the selection of proposed project alignments and typical sections in the current PD&E Study.

SECTION 3

Engineering Evaluation and Preliminary Recommendations

3.1 General

In general, based on the review of the existing subsurface information, we do not anticipate any major constraint to the proposed improvements that is currently under consideration. Based on existing soil information, organic soils (A-8 materials) and plastic soils (A-2-6 and A-4 soils) can be encountered at isolated locations and should be anticipated along the study area. Removal of organic soils and plastic soils (if any) should be performed in accordance with Index 120-002 of Standard Plans for Roadway. Backfill should consist of materials conforming to Index 120-001 of Standard Plans for Roadway and compacted in accordance with Section 120-9 of the Standard Specifications for Road and Bridge Construction.

3.2 Embankment Construction

We anticipate that fills will be required for the proposed roadway improvements. Assuming proper subgrade preparation and adequate fill materials are utilized, we recommend that all proposed permanent side slopes be constructed on 2.0 horizontal to 1.0 vertical (2H:1V) or flatter. To prevent minor sloughing at the surface, we recommend that the slopes be seeded, mulched and maintained to enhance slope stability soon after being completed.

3.3 Excavations

All excavations should be performed in accordance with Index 120-002 of Standard Plans for Roadway, the latest Standard Specifications for Road and Bridge Construction, and in accordance with OSHA Standards. We recommend that sides of temporary excavations be sloped to 2H:1V or flatter or supported by temporary shoring.

3.4 Groundwater Control

In our opinion, groundwater may not have impact on the proposed roadway widening provided the proposed finish levels is at the existing roadway level. However, depending upon groundwater levels at the time of construction, some form of dewatering may be required for utility excavations. Permits will be required for any dewatering needs during construction near land fill areas.

3.5 Monitor Existing Structures

Vibration producing construction activities such as pile driving, sheet pile installation and extraction, drilled shaft casing installation and extraction, drilled shaft excavations, compaction with vibratory rollers can cause vibration and vibration induced settlement and damages to the adjacent structures. An aerial review shows presence of buildings adjacent to Right-Of-Way (ROW) on both sides of turnpike throughout the project corridor. Buildings include single-family homes, apartment buildings, commercial buildings, churches, memorial/funeral homes and medical facilities. Most of these structures are at close vicinity to the proposed improvement areas. Hence, monitoring of existing structures (inspection and documentation of existing conditions, settlement monitoring and vibration monitoring) will be required. Mitigation efforts (like preformed pile holes for pile installations, predrilling and use of non-vibratory methods to install and extract sheet piles, non-vibratory methods to install and extract temporary casings for drilled shaft construction, compaction operations in static mode at close vicinity to existing buildings) may be evaluated as necessary to minimize vibration impacts.

3.6 General Guideline for Design Phase Geotechnical Study

A design phase geotechnical study will be required for this project during the design phase of the project and should be performed in accordance with FDOT Soils and Foundations Handbook.

SECTION 4

Report Limitations

Our Geotechnical engineering evaluation of the site and subsurface conditions with respect to the planned improvements are based on existing subsurface information and our understanding of the project.

The geotechnical engineer warrants that the findings, recommendations, specifications, or professional advice contained herein have been made in accordance with generally accepted professional geotechnical engineering practices in the local area. No other warranties are implied or expressed.

We recommend that a detail geotechnical study should be performed in accordance with FDOT Soils and Foundations Handbook during the design phase of the project.

DRAFT

APPENDIX

USDA-NRCS Soil Survey Information

DRAFT



Map Scale: 1:29,500 if printed on B portrait (11" x 17") sheet.


0 400 800 1600 2400 Meters

0 1000 2000 4000 6000 Feet

Map projection: Web Mercator Corner coordinates: WGS84 Edge tics: UTM Zone 17N WGS84


MAP LEGEND

Area of Interest (AOI)

 Area of Interest (AOI)

Soils

 Soil Map Unit Polygons

 Soil Map Unit Lines

 Soil Map Unit Points

Special Point Features



Blowout



Borrow Pit



Clay Spot



Closed Depression



Gravel Pit



Gravelly Spot



Landfill



Lava Flow



Marsh or swamp



Mine or Quarry



Miscellaneous Water



Perennial Water



Rock Outcrop



Saline Spot



Sandy Spot



Severely Eroded Spot



Sinkhole



Slide or Slip



Sodic Spot



Spoil Area



Stony Spot



Very Stony Spot



Wet Spot



Other



Special Line Features

Water Features



Streams and Canals

Transportation



Rails



Interstate Highways



US Routes



Major Roads



Local Roads

Background



Aerial Photograph

MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:20,000.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service

Web Soil Survey URL:

Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Broward County, Florida, East Part

Survey Area Data: Version 14, Sep 17, 2018

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Dec 17, 2014—Feb 11, 2015

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.


Map Unit Legend

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
3	Arents, organic substratum-Urban land complex	24.5	3.1%
14	Matlacha gravelly fine sand, limestone substratum	1.6	0.2%
15	Immokalee fine sand, 0 to 2 percent slopes	11.2	1.4%
16	Immokalee, limestone substratum-Urban land complex	6.8	0.9%
17	Immokalee-Urban land complex	247.2	31.0%
18	Lauderhill muck, frequently ponded, 0 to 1 percent slopes	8.9	1.1%
19	Margate fine sand, occasionally ponded, 0 to 1 percent slopes	171.5	21.5%
20	Matlacha, limestone substratum-Urban land complex	68.1	8.5%
29	Pompano fine sand, 0 to 2 percent slopes	0.5	0.1%
36	Udorthents	27.2	3.4%
38	Udorthents, very fine sand	33.5	4.2%
39	Immokalee-Urban land complex	62.0	7.8%
40	Urban land, 0 to 2 percent slopes	18.2	2.3%
99	Water	117.0	14.7%
Totals for Area of Interest		798.2	100.0%



MAP LEGEND

Area of Interest (AOI)

 Area of Interest (AOI)

Soils

 Soil Map Unit Polygons

 Soil Map Unit Lines

 Soil Map Unit Points

Special Point Features



Blowout



Borrow Pit



Clay Spot



Closed Depression



Gravel Pit



Gravelly Spot



Landfill



Lava Flow



Marsh or swamp



Mine or Quarry



Miscellaneous Water



Perennial Water



Rock Outcrop



Saline Spot



Sandy Spot



Severely Eroded Spot



Sinkhole



Slide or Slip



Sodic Spot



Spoil Area



Stony Spot



Very Stony Spot



Wet Spot



Other



Special Line Features

Water Features



Streams and Canals

Transportation



Rails



Interstate Highways



US Routes



Major Roads



Local Roads

Background



Aerial Photograph

MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:20,000.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service

Web Soil Survey URL:

Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Broward County, Florida, East Part

Survey Area Data: Version 14, Sep 17, 2018

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Dec 17, 2014—Feb 11, 2015

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.


Map Unit Legend

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
3	Arents, organic substratum-Urban land complex	7.9	1.2%
14	Matlacha gravelly fine sand, limestone substratum	11.7	1.8%
15	Immokalee fine sand, 0 to 2 percent slopes	35.0	5.5%
16	Immokalee, limestone substratum-Urban land complex	72.1	11.3%
17	Immokalee-Urban land complex	59.7	9.4%
19	Margate fine sand, occasionally ponded, 0 to 1 percent slopes	24.7	3.9%
20	Matlacha, limestone substratum-Urban land complex	189.8	29.8%
33	Sanibel muck	0.4	0.1%
36	Udorthents	0.9	0.1%
38	Udorthents, shaped	181.3	28.5%
40	Urban land, 0 to 2 percent slopes	37.0	5.8%
99	Water	15.9	2.5%
Totals for Area of Interest		636.4	100.0%




MAP LEGEND

Area of Interest (AOI)

 Area of Interest (AOI)

Soils

 Soil Map Unit Polygons

 Soil Map Unit Lines

 Soil Map Unit Points

Special Point Features



Blowout



Borrow Pit



Clay Spot



Closed Depression



Gravel Pit



Gravelly Spot



Landfill



Lava Flow



Marsh or swamp



Mine or Quarry



Miscellaneous Water



Perennial Water



Rock Outcrop



Saline Spot



Sandy Spot



Severely Eroded Spot



Sinkhole



Slide or Slip



Sodic Spot



Spoil Area



Stony Spot



Very Stony Spot



Wet Spot



Other



Special Line Features

Water Features



Streams and Canals

Transportation



Rails



Interstate Highways



US Routes



Major Roads



Local Roads

Background



Aerial Photograph

MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:20,000.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service

Web Soil Survey URL:

Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Broward County, Florida, East Part

Survey Area Data: Version 14, Sep 17, 2018

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Dec 17, 2014—Feb 11, 2015

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Map Unit Legend

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
4	Basinger fine sand, 0 to 2 percent slopes	30.0	5.9%
12	Hallandale fine sand, 0 to 2 percent slopes	50.1	9.9%
13	Hallandale-Urban land complex	0.2	0.0%
14	Matlacha gravelly fine sand, limestone substratum	22.1	4.4%
15	Immokalee fine sand, 0 to 2 percent slopes	166.4	32.9%
17	Immokalee-Urban land complex	55.0	10.9%
19	Margate fine sand, occasionally ponded, 0 to 1 percent slopes	12.2	24.6%
28	Pomello fine sand, 0 to 2 percent slopes	0.4	0.1%
29	Pompano fine sand, 0 to 2 percent slopes	2.8	0.6%
33	Sanibel muck	0.5	0.1%
38	Udorthents, sloped	17.7	3.5%
40	Urban land, 0 to 2 percent slopes	13.8	2.7%
99	Water	22.4	4.4%
Totals for Area of Interest		505.5	100.0%



Map Scale: 1:14,000 if printed on B portrait (11" x 17") sheet.


0 200 400 800 1200 Meters

0 500 1000 2000 3000 Feet

Map projection: Web Mercator Corner coordinates: WGS84 Edge tics: UTM Zone 17N WGS84


MAP LEGEND

Area of Interest (AOI)

 Area of Interest (AOI)

Soils

 Soil Map Unit Polygons

 Soil Map Unit Lines

 Soil Map Unit Points

Special Point Features



Blowout



Borrow Pit



Clay Spot



Closed Depression



Gravel Pit



Gravelly Spot



Landfill



Lava Flow



Marsh or swamp



Mine or Quarry



Miscellaneous Water



Perennial Water



Rock Outcrop



Saline Spot



Sandy Spot



Severely Eroded Spot



Sinkhole



Slide or Slip



Sodic Spot



Spoil Area



Stony Spot



Very Stony Spot



Wet Spot



Other



Special Line Features

Water Features



Streams and Canals

Transportation



Rails



Interstate Highways



US Routes



Major Roads



Local Roads

Background



Aerial Photograph

MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:20,000.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service

Web Soil Survey URL:

Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Broward County, Florida, East Part

Survey Area Data: Version 14, Sep 17, 2018

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Dec 17, 2014—Feb 11, 2015

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Map Unit Legend

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
2	Arents-Urban land complex	8.9	3.0%
4	Basinger fine sand, 0 to 2 percent slopes	0.0	0.0%
14	Matlacha gravelly fine sand, limestone substratum	56.2	19.0%
15	Immokalee fine sand, 0 to 2 percent slopes	69.5	23.5%
19	Margate fine sand, occasionally ponded, 0 to 1 percent slopes	72.7	24.6%
27	Plantation muck	27.8	9.4%
29	Pompano fine sand, 0 to 2 percent slopes	22.2	7.5%
33	Sanibel muck	18.1	6.1%
36	Udorthents	9.2	3.1%
99	Water	10.6	3.6%
Totals for Area of Interest		295.3	100.0%

Broward County, Florida, East Part

2—Arents-Urban land complex

Map Unit Setting

National map unit symbol: 1hn8f
Mean annual precipitation: 60 to 68 inches
Mean annual air temperature: 72 to 79 degrees F
Frost-free period: 358 to 365 days
Farmland classification: Not prime farmland

Map Unit Composition

Arents and similar soils: 55 percent
Urban land: 40 percent
Minor components: 5 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Arents

Setting

Landform: Rises on marine terraces
Landform position (three-dimensional): Rise
Down-slope shape: Convex
Across-slope shape: Linear
Parent material: Altered marine deposits

Typical profile

A - 0 to 4 inches: cobbly sand
C1 - 4 to 9 inches: cobbly sand
C2 - 9 to 32 inches: sand
2C - 32 to 60 inches: sand

Properties and qualities

Slope: 0 to 5 percent
Depth to restrictive feature: More than 80 inches
Natural drainage class: Somewhat poorly drained
Runoff class: High
Capacity of the most limiting layer to transmit water (Ksat): High to very high (5.95 to 15.98 in/hr)
Depth to water table: About 18 to 36 inches
Frequency of flooding: None
Frequency of ponding: None
Salinity, maximum in profile: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum in profile: 4.0
Available water storage in profile: Very low (about 3.0 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 7s
Hydrologic Soil Group: A/D
Forage suitability group: Forage suitability group not assigned (G156AC999FL)
Hydric soil rating: No

Description of Urban Land

Setting

Landform: Marine terraces

Landform position (three-dimensional): Interfluve, talf

Down-slope shape: Linear

Across-slope shape: Linear

Minor Components

Arents, organic substratum

Percent of map unit: 3 percent

Landform: Rises on marine terraces

Landform position (three-dimensional): Rise

Down-slope shape: Convex

Across-slope shape: Linear

Hydric soil rating: No

Udorthents, marly substratum

Percent of map unit: 2 percent

Landform: Marine terraces

Landform position (three-dimensional): Interfluve

Down-slope shape: Convex

Across-slope shape: Linear

Hydric soil rating: No

Broward County, Florida, East Part

3—Arents, organic substratum-Urban land complex

Map Unit Setting

National map unit symbol: 1hn8g
Mean annual precipitation: 60 to 68 inches
Mean annual air temperature: 72 to 79 degrees F
Frost-free period: 358 to 365 days
Farmland classification: Not prime farmland

Map Unit Composition

Arents, organic substratum and similar soils: 55 percent
Urban land: 45 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Arents, Organic Substratum

Setting

Landform: Rises on marine terraces
Landform position (three-dimensional): Rise
Down-slope shape: Convex
Across-slope shape: Linear
Parent material: Sandy dredge spoil over organic material over sandy marine deposits

Typical profile

A - 0 to 12 inches: gravelly sand
C - 12 to 38 inches: sand
Oa - 38 to 42 inches: muck
2C - 52 to 60 inches: sand

Properties and qualities

Slope: 0 to 2 percent
Depth to restrictive feature: More than 80 inches
Natural drainage class: Somewhat poorly drained
Runoff class: High
Capacity of the most limiting layer to transmit water (Ksat): High to very high (5.95 to 15.98 in/hr)
Depth to water table: About 24 to 36 inches
Frequency of flooding: None
Frequency of ponding: None
Salinity, maximum in profile: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum in profile: 4.0
Available water storage in profile: Moderate (about 8.3 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 7s
Hydrologic Soil Group: A
Forage suitability group: Forage suitability group not assigned (G156AC999FL)
Hydric soil rating: No

Description of Urban Land

Setting

Landform: Marine terraces

Landform position (three-dimensional): Interfluvial, talus

Down-slope shape: Linear

Across-slope shape: Linear

DRAFT

4—Basinger fine sand, 0 to 2 percent slopes

Map Unit Setting

National map unit symbol: 2svym

Elevation: 0 to 20 feet

Mean annual precipitation: 42 to 68 inches

Mean annual air temperature: 68 to 79 degrees F

Frost-free period: 350 to 365 days

Farmland classification: Not prime farmland

Map Unit Composition

Basinger and similar soils: 85 percent

Minor components: 15 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Basinger

Setting

Landform: Drainageways on marine terraces, flats on marine terraces

Landform position (three-dimensional): Tread, dip

Down-slope shape: Linear, convex

Across-slope shape: Concave, linear

Parent material: Sandy marine deposits

Typical profile

Ag - 0 to 2 inches: fine sand
Eg - 2 to 18 inches: fine sand
Bh/E - 18 to 36 inches: fine sand
Cg - 36 to 80 inches: fine sand

Properties and qualities

Slope: 0 to 2 percent
Depth to restrictive feature: More than 80 inches
Natural drainage class: Poorly drained
Runoff class: Very high
Capacity of the most limiting layer to transmit water (Ksat): High to very high (5.95 to 19.98 in/hr)
Depth to water table: About 3 to 18 inches
Frequency of flooding: None
Frequency of ponding: None
Salinity, maximum in profile: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum in profile: 4.7
Available water storage in profile: Low (about 5.9 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 4w
Hydrologic Soil Group: A/D
Forage suitability group: Slightly soils on flats of mesic or hydric lowlands (G155XB141FL)
Other vegetative classification: Slough (R155XY011FL)
Hydric soil rating: Yes

Minor Component

Myakka

Percent of map unit: 5 percent
Landform: Drainageways on marine terraces, flatwoods on marine terraces
Landform position (three-dimensional): Tread, dip, talf
Down-slope shape: Linear
Across-slope shape: Concave, linear
Other vegetative classification: South Florida Flatwoods (R155XY003FL)
Hydric soil rating: No

Placid

Percent of map unit: 4 percent
Landform: Drainageways on marine terraces, depressions on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Concave
Across-slope shape: Concave
Other vegetative classification: Freshwater Marshes and Ponds (R155XY010FL)
Hydric soil rating: Yes

Immokalee

Percent of map unit: 4 percent
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Riser, talf
Down-slope shape: Linear
Across-slope shape: Linear

Custom Soil Resource Report

Other vegetative classification: South Florida Flatwoods (R155XY003FL)

Hydric soil rating: No

Margate

Percent of map unit: 1 percent

Landform: Flats on marine terraces

Landform position (three-dimensional): Tread, dip

Down-slope shape: Linear

Across-slope shape: Concave

Hydric soil rating: Yes

Felda

Percent of map unit: 1 percent

Landform: Flats on marine terraces, drainageways on marine terraces

Landform position (three-dimensional): Tread, talf, dip

Down-slope shape: Linear

Across-slope shape: Linear, concave

Ecological site: Slough (R155XY011FL)

Other vegetative classification: Slough (R155XY011FL)

Hydric soil rating: Yes

DRAFT

12—Hallandale fine sand, 0 to 2 percent slopes

Map Unit Setting

National map unit symbol: 2tzx4

Elevation: 0 to 70 feet

Mean annual precipitation: 60 to 70 inches

Mean annual air temperature: 72 to 79 degrees F

Frost-free period: 360 to 365 days

Farmland classification: Not prime farmland

Map Unit Composition

Hallandale and similar soils: 90 percent

Minor components: 10 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Hallandale

Setting

Landform: Flatwoods on marine terraces

Landform position (three dimensional): Head, tal

Down-slope shape: Linear

Across-slope shape: Linear

Parent material: Sandy marine deposits over limestone

Typical profile

A - 0 to 2 inches: fine sand

Eg - 2 to 7 inches: fine sand

B - 7 to 12 inches: fine sand

R - 12 to 24 inches: bedrock

Properties and qualities

Slope: 0 to 2 percent

Depth to restrictive feature: 2 to 20 inches to lithic bedrock

Natural drainage class: Poorly drained

Runoff class: Very high

Capacity of the most limiting layer to transmit water (Ksat): Moderately high to high (0.60 to 5.95 in/hr)

Depth to water table: About 6 to 18 inches

Frequency of flooding: None

Frequency of ponding: None

Salinity, maximum in profile: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)

Sodium adsorption ratio, maximum in profile: 4.0

Available water storage in profile: Very low (about 0.9 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 4w

Hydrologic Soil Group: B/D

Custom Soil Resource Report

Forage suitability group: Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)

Other vegetative classification: South Florida Flatwoods (R155XY003FL)

Hydric soil rating: Yes

Minor Components

Dania

Percent of map unit: 5 percent

Landform: Marshes on marine terraces

Landform position (three-dimensional): Tread, dip

Down-slope shape: Concave

Across-slope shape: Concave

Other vegetative classification: Freshwater Marshes and Ponds (R156AY010FL)

Hydric soil rating: Yes

Plantation

Percent of map unit: 5 percent

Landform: Depressions on marine terraces, flatwoods on marine terraces

Landform position (three-dimensional): Tread, dip, talf

Down-slope shape: Linear

Across-slope shape: Concave

Hydric soil rating: Yes

13—Hallandale-Urban land complex

Map Unit Setting

National map unit symbol: 1hn8s

Elevation: 10 to 100 feet

Mean annual precipitation: 60 to 68 inches

Mean annual air temperature: 72 to 79 degrees F

Frost-free period: 358 to 365 days

Farmland classification: Not prime farmland

Map Unit Composition

Hallandale and similar soils: 45 percent

Urban land: 45 percent

Minor components: 10 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Hallandale

Setting

Landform: Flats on marine terraces

Landform position (three-dimensional): Talf

Down-slope shape: Linear

Across-slope shape: Linear

Parent material: Sandy marine deposits over limestone

Typical profile

A - 0 to 4 inches: fine sand

Custom Soil Resource Report

E - 4 to 10 inches: fine sand
Bw1 - 10 to 14 inches: fine sand
Bw2 - 14 to 16 inches: fine sand
2R - 16 to 20 inches: weathered bedrock

Properties and qualities

Slope: 0 to 2 percent
Depth to restrictive feature: 7 to 20 inches to paralithic bedrock
Natural drainage class: Poorly drained
Runoff class: High
Capacity of the most limiting layer to transmit water (Ksat): Moderately high to high (0.60 to 5.95 in/hr)
Depth to water table: About 0 to 12 inches
Frequency of flooding: None
Frequency of ponding: None
Salinity, maximum in profile: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum in profile: 4.0
Available water storage in profile: Very low (about 1.0 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (not irrigated): 4w
Hydrologic Soil Group: B/D
Forage suitability group: Forage suitability group not assigned (G156AC999FL)
Hydric soil rating: Yes

Description of Urban Land

Setting

Landform: Marine terraces
Landform position (three-dimensional): Interfluvial, talus
Down-slope shape: Linear
Across-slope shape: Linear

Minor components

Basing

Percent of map unit: 4 percent
Landform: Drainageways on marine terraces
Landform position (three-dimensional): Dip
Down-slope shape: Linear
Across-slope shape: Concave
Hydric soil rating: Yes

Margate

Percent of map unit: 3 percent
Landform: Drainageways on marine terraces
Landform position (three-dimensional): Dip
Down-slope shape: Linear
Across-slope shape: Concave
Hydric soil rating: Yes

Pompano

Percent of map unit: 3 percent
Landform: Drainageways on marine terraces
Landform position (three-dimensional): Dip

Custom Soil Resource Report

Down-slope shape: Linear
Across-slope shape: Concave
Hydric soil rating: Yes

DRAFT

14—Matlacha gravelly fine sand, limestone substratum

Map Unit Setting

National map unit symbol: 1hn8t
Mean annual precipitation: 60 to 68 inches
Mean annual air temperature: 72 to 79 degrees F
Frost-free period: 358 to 365 days
Farmland classification: Not prime farmland

Map Unit Composition

Matlacha, limestone substratum, and similar soils: 90 percent
Minor components: 10 percent
Estimates are based on observation, descriptions, and transects of the mapunit.

Description of Matlacha, Limestone Substratum

Setting

Landform: Tents and marine terraces
Landform position (three-dimensional): Talf
Down-slope shape: Convex
Cross-slope shape: Linear
Parent material: Sandy mine spoil or earthy fill

Typical profile

C - 0 to 2 inches: gravelly fine sand
2Ab - 23 to 27 inches: fine sand
2Eb - 27 to 48 inches: fine sand
3R - 48 to 52 inches: unweathered bedrock

Properties and qualities

Slope: 0 to 2 percent
Depth to restrictive feature: 40 to 60 inches to lithic bedrock
Natural drainage class: Somewhat poorly drained
Runoff class: High
Capacity of the most limiting layer to transmit water (Ksat): High (1.98 to 5.95 in/hr)
Depth to water table: About 24 to 36 inches
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate, maximum in profile: 5 percent
Salinity, maximum in profile: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)

Custom Soil Resource Report

Sodium adsorption ratio, maximum in profile: 4.0

Available water storage in profile: Very low (about 2.6 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 6s

Hydrologic Soil Group: B

Forage suitability group: Forage suitability group not assigned (G156AC999FL)

Hydric soil rating: No

Minor Components

Hallandale

Percent of map unit: 5 percent

Landform: Flats on marine terraces

Landform position (three-dimensional): Talf

Down-slope shape: Linear

Across-slope shape: Linear

Hydric soil rating: Yes

Margate

Percent of map unit: 5 percent

Landform: Drainageways on marine terraces

Landform position (three-dimensional): Talf

Down-slope shape: Linear

Across-slope shape: Concave

Hydric soil rating: Yes

15—Immokalee fine sand, 0 to 2 percent slopes

Map Unit Setting

National map unit symbol: 2s3lk

Elevation: 0 to 30 feet

Mean annual precipitation: 44 to 56 inches

Mean annual air temperature: 70 to 77 degrees F

Frost-free period: 350 to 365 days

Farmland classification: Not prime farmland

Map Unit Composition

Immokalee and similar soils: 90 percent

Minor components: 10 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Immokalee

Setting

Landform: Flatwoods on marine terraces

Landform position (three-dimensional): Riser, talf

Down-slope shape: Linear

Across-slope shape: Linear

Parent material: Sandy marine deposits

Typical profile

A - 0 to 6 inches: fine sand
E - 6 to 35 inches: fine sand
Bh - 35 to 54 inches: fine sand
BC - 54 to 80 inches: fine sand

Properties and qualities

Slope: 0 to 2 percent
Depth to restrictive feature: More than 80 inches
Natural drainage class: Poorly drained
Runoff class: Very high
Capacity of the most limiting layer to transmit water (Ksat): Moderately high to high (0.57 to 1.98 in/hr)
Depth to water table: About 6 to 18 inches
Frequency of flooding: None
Frequency of ponding: None
Salinity, maximum in profile: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum in profile: 4.7
Available water storage in profile: Low (about 5.9 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 4w
Hydrologic Soil Group: B/D
Forage suitability group: Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)
Other vegetative classification: South Florida Flatwoods (R155XY003FL)
Hydric soil rating: 1

Minor Component

Basinger

Percent of map unit: 4 percent
Landform: Depressions on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Concave, linear
Across-slope shape: Concave, linear
Hydric soil rating: Yes

Pomello

Percent of map unit: 2 percent
Landform: Knolls on marine terraces, ridges on marine terraces
Landform position (two-dimensional): Summit, backslope
Landform position (three-dimensional): Side slope, interfluvium, riser
Down-slope shape: Convex, linear
Across-slope shape: Linear
Ecological site: Sand Pine Scrub (R155XY001FL)
Other vegetative classification: Sand Pine Scrub (R155XY001FL)
Hydric soil rating: No

Wabasso

Percent of map unit: 2 percent
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Tread, talus
Down-slope shape: Convex, linear

Across-slope shape: Linear
Other vegetative classification: South Florida Flatwoods (R155XY003FL)
Hydric soil rating: No

Margate

Percent of map unit: 1 percent
Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Linear
Across-slope shape: Concave
Hydric soil rating: Yes

Placid

Percent of map unit: 1 percent
Landform: Drainageways on marine terraces, depressions on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Concave
Across-slope shape: Concave
Other vegetative classification: Freshwater Marshes and Ponds (R155XY010FL)
Hydric soil rating: Yes

16—Immokalee, limestone substratum-Urban land complex

Map Unit Setting

National map unit symbol: 1hnmr
Elevation: 10 to 100 feet
Mean annual precipitation: 60 to 68 inches
Mean annual air temperature: 72 to 79 degrees F
Frost-free period: 300 to 365 days
Farmland classification: Not prime farmland

Map Unit Composition

Immokalee, limestone substratum, and similar soils: 50 percent
Urban land: 40 percent
Minor components: 10 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Immokalee, Limestone Substratum

Setting

Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Talf
Down-slope shape: Convex
Across-slope shape: Linear
Parent material: Sandy marine deposits

Typical profile

A - 0 to 5 inches: fine sand
E - 5 to 48 inches: fine sand
Bh - 48 to 58 inches: fine sand
2R - 58 to 62 inches: weathered bedrock

Properties and qualities

Slope: 0 to 2 percent
Depth to restrictive feature: 40 to 72 inches to paralithic bedrock
Natural drainage class: Poorly drained
Runoff class: High
Capacity of the most limiting layer to transmit water (Ksat): Moderately high to high (0.57 to 5.95 in/hr)
Depth to water table: About 6 to 18 inches
Frequency of flooding: None
Frequency of ponding: None
Salinity, maximum in profile: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum in profile: 4.0
Available water storage in profile: Low (about 3.9 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): None specified
Hydrologic Soil Group: A/D
Forage suitability group: Forage suitability group not assigned (G156AC999FL)
Hydric soil rating: No

Description of Urban Land

Setting

Landform: Marine terraces
Landform position (three-dimensional): Interfluvial, talus
Down-slope shape: Linear
Across-slope shape: Linear

Minor Components

Immokalee

Percent of map unit: 3 percent
Landform: Wetwoods on marine terraces
Landform position (three-dimensional): Talus
Down-slope shape: Convex
Across-slope shape: Linear
Hydric soil rating: No

Basinger

Percent of map unit: 3 percent
Landform: Drainageways on marine terraces
Landform position (three-dimensional): Dip
Down-slope shape: Linear
Across-slope shape: Concave
Hydric soil rating: Yes

Margate

Percent of map unit: 2 percent
Landform: Drainageways on marine terraces
Landform position (three-dimensional): Dip
Down-slope shape: Linear
Across-slope shape: Concave
Hydric soil rating: Yes

Pompano

Percent of map unit: 2 percent
Landform: Drainageways on marine terraces
Landform position (three-dimensional): Dip
Down-slope shape: Linear
Across-slope shape: Concave
Hydric soil rating: Yes

17—Immokalee-Urban land complex

Map Unit Setting

National map unit symbol: 1hn8x
Elevation: 10 to 100 feet
Mean annual precipitation: 60 to 68 inches
Mean annual air temperature: 72 to 79 degrees F
Frost-free period: 358 to 365 days
Farmland classification: Not prime farmland

Map Unit Composition

Immokalee and similar soils: 45 percent
Urban land: 45 percent
Minor components: 10 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Immokalee

Setting

Landform: Flatwoods on marine terraces
Landform position (three-dimensional): Talf
Down-slope shape: Convex
Across-slope shape: Linear
Parent material: Sandy marine deposits

Typical profile

A - 0 to 6 inches: fine sand
E - 6 to 35 inches: fine sand
Bh - 35 to 54 inches: fine sand
BC - 54 to 72 inches: fine sand

Properties and qualities

Slope: 0 to 2 percent
Depth to restrictive feature: More than 80 inches
Natural drainage class: Poorly drained
Runoff class: High
Capacity of the most limiting layer to transmit water (Ksat): Moderately high to high (0.57 to 1.98 in/hr)
Depth to water table: About 6 to 18 inches
Frequency of flooding: None
Frequency of ponding: None

Custom Soil Resource Report

Salinity, maximum in profile: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)

Sodium adsorption ratio, maximum in profile: 4.0

Available water storage in profile: Low (about 5.3 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 4w

Hydrologic Soil Group: B/D

Forage suitability group: Forage suitability group not assigned (G156AC999FL)

Hydric soil rating: No

Description of Urban Land

Setting

Landform: Marine terraces

Landform position (three-dimensional): Interfluvial, talus

Down-slope shape: Linear

Across-slope shape: Linear

Minor Components

Hallandale

Percent of map unit: 3 percent

Landform: Flats on marine terraces

Landform position (three-dimensional): Talus

Down-slope shape: Linear

Across-slope shape: Linear

Hydric soil rating: Yes

Basinger

Percent of map unit: 3 percent

Landform: Drainageways on marine terraces

Landform position (three-dimensional): Dip

Down-slope shape: Linear

Across-slope shape: Concave

Hydric soil rating: Yes

Margate

Percent of map unit: 2 percent

Landform: Drainageways on marine terraces

Landform position (three-dimensional): Dip

Down-slope shape: Linear

Across-slope shape: Concave

Hydric soil rating: Yes

Pompano

Percent of map unit: 2 percent

Landform: Drainageways on marine terraces

Landform position (three-dimensional): Dip

Down-slope shape: Linear

Across-slope shape: Concave

Hydric soil rating: Yes

18—Lauderhill muck, frequently ponded, 0 to 1 percent slopes

Map Unit Setting

National map unit symbol: 2sw03

Elevation: 0 to 30 feet

Mean annual precipitation: 60 to 70 inches

Mean annual air temperature: 70 to 79 degrees F

Frost-free period: 360 to 365 days

Farmland classification: Not prime farmland

Map Unit Composition

Lauderhill and similar soils: 85 percent

Minor components: 15 percent

Estimates are based on observation, descriptions, and dissects of the mapunit.

Description of Lauderhill

Setting

Landform: Depressions on mesa terraces

Landform position (three-dimensional): Tread, dip

Down-slope shape: Concave

Across-slope shape: Concave

Parent material: Helonaceous organic material over residuum weathered from limestone

Typical profile

0A - 0 to 3 inches: muck

0R - 31 to 41 inches: bedrock

Properties and qualities

Slope: 0 to 1 percent

Depth to restrictive feature: 16 to 36 inches to lithic bedrock

Natural drainage class: Very poorly drained

Runoff class: Negligible

Capacity of the most limiting layer to transmit water (Ksat): High to very high (1.98 to 19.98 in/hr)

Depth to water table: About 0 inches

Frequency of flooding: None

Frequency of ponding: Frequent

Salinity, maximum in profile: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)

Sodium adsorption ratio, maximum in profile: 4.0

Available water storage in profile: Very high (about 12.4 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 7w

Hydrologic Soil Group: A/D

Custom Soil Resource Report

Forage suitability group: Organic soils in depressions and on flood plains
(G156AC645FL)
Hydric soil rating: Yes

Minor Components

Terra ceia

Percent of map unit: 4 percent
Landform: Depressions on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Convex, concave
Across-slope shape: Linear, concave
Other vegetative classification: Freshwater Marshes and Ponds (R155XY010FL)
Hydric soil rating: Yes

Okeelanta

Percent of map unit: 3 percent
Landform: Depressions on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Concave
Across-slope shape: Concave
Other vegetative classification: Freshwater Marshes and Ponds (R155XY010FL)
Hydric soil rating: Yes

Tamiami

Percent of map unit: 2 percent
Landform: Marshes on marine terraces, depressions on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Concave
Across-slope shape: Concave
Hydric soil rating: Yes

Margate

Percent of map unit: 2 percent
Landform: Drainageways on marine terraces
Landform position (three-dimensional): Tread, dip
Down-slope shape: Linear
Across-slope shape: Concave
Hydric soil rating: Yes

Biscayne

Percent of map unit: 2 percent
Landform: Marshes on marine terraces
Landform position (three-dimensional): Tread, talf
Down-slope shape: Concave
Across-slope shape: Concave, linear
Hydric soil rating: Yes

Plantation

Percent of map unit: 2 percent
Landform: Flatwoods on marine terraces, depressions on marine terraces
Landform position (three-dimensional): Tread, talf, dip
Down-slope shape: Linear
Across-slope shape: Concave
Hydric soil rating: Yes

19—Margate fine sand, occasionally ponded, 0 to 1 percent slopes

Map Unit Setting

National map unit symbol: 2sm5l

Elevation: 0 to 30 feet

Mean annual precipitation: 60 to 70 inches

Mean annual air temperature: 72 to 81 degrees F

Frost-free period: 360 to 365 days

Farmland classification: Not prime farmland

Map Unit Composition

Margate and similar soils: 85 percent

Minor components: 15 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Margate

Setting

Landform: Flats on marine terraces

Landform position (three dimensional): Head, tal

Down-slope shape: Linear

Across-slope shape: Concave

Parent material: Sandy marine deposits over limestone

Typical profile

A - 0 to 8 inches: fine sand

E - 8 to 16 inches: fine sand

B - 16 to 28 inches: fine sand

C - 28 to 32 inches: very gravelly fine sand

R - 32 to 42 inches: bedrock

Properties and qualities

Slope: 0 to 1 percent

Depth to restrictive feature: 20 to 40 inches to lithic bedrock

Natural drainage class: Poorly drained

Runoff class: Negligible

Capacity of the most limiting layer to transmit water (Ksat): High to very high (1.98 to 19.98 in/hr)

Depth to water table: About 0 to 18 inches

Frequency of flooding: None

Frequency of ponding: Frequent

Calcium carbonate, maximum in profile: 4 percent

Salinity, maximum in profile: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)

Sodium adsorption ratio, maximum in profile: 4.0

Available water storage in profile: Very low (about 2.6 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 4w

Custom Soil Resource Report

Hydrologic Soil Group: A/D

Forage suitability group: Sandy soils on stream terraces, flood plains, or in depressions (G156AC145FL)

Hydric soil rating: Yes

Minor Components

Basinger

Percent of map unit: 5 percent

Landform: Flats on marine terraces

Landform position (three-dimensional): Tread, dip

Down-slope shape: Linear

Across-slope shape: Concave

Other vegetative classification: Slough (R155XY011FL)

Hydric soil rating: Yes

Matlacha

Percent of map unit: 5 percent

Landform: Flatwoods on marine terraces

Landform position (three-dimensional): Tread, dip

Down-slope shape: Convex, linear

Across-slope shape: Linear

Hydric soil rating: No

Plantation

Percent of map unit: 5 percent

Landform: Marshes on marine terraces

Landform position (three-dimensional): Tread, dip

Down-slope shape: Linear

Across-slope shape: Concave

Hydric soil rating: Yes

20—Matlacha, limestone substratum-Urban land complex

Map Unit Setting

National map unit symbol: 1hn90

Mean annual precipitation: 60 to 68 inches

Mean annual air temperature: 72 to 79 degrees F

Frost-free period: 358 to 365 days

Farmland classification: Not prime farmland

Map Unit Composition

Matlacha, limestone substratum, and similar soils: 50 percent

Urban land: 45 percent

Minor components: 5 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Matlacha, Limestone Substratum

Setting

Landform: Flats on marine terraces

Custom Soil Resource Report

Landform position (three-dimensional): Talf
Down-slope shape: Convex
Across-slope shape: Linear
Parent material: Sandy mine spoil or earthy fill over limestone

Typical profile

C - 0 to 23 inches: gravelly fine sand
2Ab - 23 to 27 inches: fine sand
2Eb - 27 to 48 inches: fine sand
3R - 48 to 52 inches: unweathered bedrock

Properties and qualities

Slope: 0 to 2 percent
Depth to restrictive feature: 40 to 60 inches to lithic bedrock
Natural drainage class: Somewhat poorly drained
Runoff class: Low
Capacity of the most limiting layer to transmit water (Ksat): High (1.98 to 5.95 in/hr)
Depth to water table: About 24 to 36 inches
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate, maximum in profile: 5 percent
Salinity, maximum in profile: Non-saline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum in profile: 4.0
Available water storage in profile: Very low (about 2.6 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 6s
Hydrologic Soil Group: B
Forage suitability group: Forage suitability group not assigned (G156AC999FL)
Hydric soil rating: No

Description of Urban Land

Setting

Landform: Marine terraces
Landform position (three-dimensional): Interfluve, talf
Down-slope shape: Linear
Across-slope shape: Linear

Minor Components

Margate

Percent of map unit: 5 percent
Landform: Drainageways on marine terraces
Landform position (three-dimensional): Dip
Down-slope shape: Linear
Across-slope shape: Concave
Hydric soil rating: Yes

27—Plantation muck

Map Unit Setting

National map unit symbol: 1hn97

Elevation: 0 to 30 feet

Mean annual precipitation: 60 to 68 inches

Mean annual air temperature: 72 to 79 degrees F

Frost-free period: 358 to 365 days

Farmland classification: Not prime farmland

Map Unit Composition

Plantation, drained, and similar soils: 70 percent

Plantation, undrained, and similar soils: 20 percent

Minor components: 10 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Plantation, Drained

Setting

Landform: Marshes on marine terraces

Landform position (three-dimensional): Talf

Down-slope shape: Linear

Across-slope shape: Linear

Parent material: Herbaceous organic material over sandy marine deposits over limestone

Typical profile

Oa - 0 to 10 inches: muck

A - 10 to 28 inches: fine sand

Cg - 28 to 35 inches: fine sandy loam

2R - 35 to 39 inches: unweathered bedrock

Properties and qualities

Slope: 0 to 1 percent

Depth to restrictive feature: 20 to 40 inches to lithic bedrock

Natural drainage class: Very poorly drained

Runoff class: Negligible

Capacity of the most limiting layer to transmit water (Ksat): High to very high (1.98 to 19.98 in/hr)

Depth to water table: About 0 inches

Custom Soil Resource Report

Frequency of flooding: None
Frequency of ponding: Frequent
Salinity, maximum in profile: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum in profile: 4.0
Available water storage in profile: Low (about 4.3 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 3w
Hydrologic Soil Group: A/D
Forage suitability group: Organic soils in depressions and on flood plains (G156AC645FL)
Hydric soil rating: Yes

Description of Plantation, Undrained

Setting

Landform: Marshes on marine terraces
Landform position (three-dimensional): 7w
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: Herbaceous organic material over sandy marine deposits over limestone

Typical profile

Oa - 0 to 10 inches: muck
A - 10 to 28 inches: fine sand
Btg - 28 to 35 inches: fine sandy loam
2R - 35 to 39 inches: unweathered bedrock

Properties and Qualities

Slope: 0 to 1 percent
Depth to restrictive feature: 20 to 40 inches to lithic bedrock
Natural drainage class: Very poorly drained
Runoff class: Negligible
Capacity of the most limiting layer to transmit water (Ksat): High to very high (1.98 to 19.98 in/hr)
Depth to water table: About 0 inches
Frequency of flooding: None
Frequency of ponding: Frequent
Salinity, maximum in profile: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum in profile: 4.0
Available water storage in profile: Low (about 4.3 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 7w
Hydrologic Soil Group: A/D
Forage suitability group: Organic soils in depressions and on flood plains (G156AC645FL)
Hydric soil rating: Yes

Minor Components

Hallandale

Percent of map unit: 3 percent
Landform: Flats on marine terraces
Landform position (three-dimensional): Talf
Down-slope shape: Linear
Across-slope shape: Linear
Hydric soil rating: Yes

Dania

Percent of map unit: 3 percent
Landform: Marshes on marine terraces
Landform position (three-dimensional): Dip
Down-slope shape: Concave
Across-slope shape: Concave
Hydric soil rating: Yes

Margate

Percent of map unit: 2 percent
Landform: Drainageways on marine terraces
Landform position (three-dimensional): Dip
Down-slope shape: Linear
Across-slope shape: Concave
Hydric soil rating: Yes

Lauderhill

Percent of map unit: 2 percent
Landform: Depressions on marine terraces
Landform position (three-dimensional): Dip
Down-slope shape: Concave
Across-slope shape: Concave
Hydric soil rating: Yes

29—Pompano fine sand, 0 to 2 percent slopes

Map Unit Setting

National map unit symbol: 2tzw3

Elevation: 0 to 100 feet

Mean annual precipitation: 44 to 65 inches

Mean annual air temperature: 68 to 77 degrees F

Frost-free period: 350 to 365 days

Farmland classification: Not prime farmland

Map Unit Composition

Pompano and similar soils: 80 percent

Minor components: 20 percent

Estimates are based on observation, descriptions, and dissects of the mapunit.

Description of Pompano

Setting

Landform: Flats on marine terraces

Landform position (three-dimensional): Tread, dip

Down-slope shape: Linear

Across-slope shape: Linear, concave

Parent material: Sandy marine deposits

Typical profile

A - 0 to 4 inches: fine sand

C - 4 to 80 inches: fine sand

Properties and qualities

Slope: 0 to 2 percent

Depth to restrictive feature: More than 80 inches

Natural drainage class: Poorly drained

Runoff class: Very high

Capacity of the most limiting layer to transmit water (Ksat): High to very high (6.00 to 20.00 in/hr)

Depth to water table: About 3 to 18 inches

Frequency of flooding: None

Frequency of ponding: None

Calcium carbonate, maximum in profile: 2 percent

Salinity, maximum in profile: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)

Sodium adsorption ratio, maximum in profile: 4.0

Available water storage in profile: Low (about 4.8 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 4w

Hydrologic Soil Group: A/D

Custom Soil Resource Report

Forage suitability group: Sandy soils on flats of mesic or hydric lowlands (G155XB141FL)

Other vegetative classification: Slough (R155XY011FL)

Hydric soil rating: Yes

Minor Components

Anclote

Percent of map unit: 4 percent

Landform: Depressions on marine terraces

Landform position (three-dimensional): Tread, dip

Down-slope shape: Concave, convex

Across-slope shape: Concave, linear

Other vegetative classification: Freshwater Marshes and Ponds (R155XY010FL)

Hydric soil rating: Yes

Valkaria

Percent of map unit: 4 percent

Landform: Drainageways on flats on marine terraces

Landform position (three-dimensional): Tread, dip, talf

Down-slope shape: Linear

Across-slope shape: Linear, concave

Other vegetative classification: Slough (R155XY011FL)

Hydric soil rating: Yes

Malabar

Percent of map unit: 4 percent

Landform: — error in existing on —

Landform position (three-dimensional): Tread, dip, talf

Down-slope shape: Linear, concave

Across-slope shape: Linear, concave

Ecological site: Slough (R155XY011FL)

Other vegetative classification: Slough (R155XY011FL)

Hydric soil rating: Yes

Immokalee

Percent of map unit: 3 percent

Landform: Flatwoods on marine terraces

Landform position (three-dimensional): Riser, talf

Down-slope shape: Linear

Across-slope shape: Linear

Other vegetative classification: South Florida Flatwoods (R155XY003FL)

Hydric soil rating: No

Myakka

Percent of map unit: 3 percent

Landform: Drainageways on flatwoods on marine terraces

Landform position (three-dimensional): Tread, dip, talf

Down-slope shape: Linear

Across-slope shape: Linear, concave

Other vegetative classification: South Florida Flatwoods (R155XY003FL)

Hydric soil rating: No

Riviera

Percent of map unit: 2 percent

Landform: Drainageways on marine terraces, flats on marine terraces

Landform position (three-dimensional): Tread, dip, talf

Custom Soil Resource Report

Down-slope shape: Linear

Across-slope shape: Concave, linear

Ecological site: Slough (R155XY011FL)

Other vegetative classification: Slough (R155XY011FL)

Hydric soil rating: Yes

DRAFT

33—Sanibel muck

Map Unit Setting

National map unit symbol: 1hn9f

Elevation: 0 to 30 feet

Mean annual precipitation: 60 to 68 inches

Mean annual air temperature: 72 to 79 degrees F

Frost-free period: 358 to 365 days

Farmland classification: Not prime farmland

Map Unit Composition

Sanibel, drained, and similar soils: 90 percent

Minor components: 10 percent

Estimates are based on observation, descriptions, and dissects of the mapunit.

Description of Sanibel, Drained

Setting

Landform: Marshes on marine terraces

Landform position (three-dimensional): Dip

Down-slope shape: Concave

Across-slope shape: Concave

Parent material: Thin organic material over sandy marine deposits

Typical profile

Oa 0 to 9 inches: muck

A 9 to 10 inches: fine sand

C 10 to 60 inches: fine sand

Properties and qualities

Slope: 0 to 1 percent

Depth to restrictive feature: More than 80 inches

Natural drainage class: Very poorly drained

Runoff class: Negligible

Capacity of the most limiting layer to transmit water (Ksat): High to very high (5.95 to 19.98 in/hr)

Depth to water table: About 0 inches

Frequency of flooding: None

Frequency of ponding: Frequent

Salinity, maximum in profile: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)

Sodium adsorption ratio, maximum in profile: 4.0

Available water storage in profile: Moderate (about 7.9 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 3w

Hydrologic Soil Group: A/D

Forage suitability group: Organic soils in depressions and on flood plains
(G156AC645FL)
Hydric soil rating: Yes

Minor Components

Margate

Percent of map unit: 2 percent
Landform: Drainageways on marine terraces
Landform position (three-dimensional): Dip
Down-slope shape: Linear
Across-slope shape: Concave
Hydric soil rating: Yes

Dania

Percent of map unit: 2 percent
Landform: Marshes on marine terraces
Landform position (three-dimensional): Dip
Down-slope shape: Concave
Across-slope shape: Concave
Hydric soil rating: Yes

Lauderhill

Percent of map unit: 2 percent
Landform: Depressions on marine terraces
Landform position (three-dimensional): Dip
Down-slope shape: Concave
Across-slope shape: Concave
Hydric soil rating: Yes

Plantation

Percent of map unit: 2 percent
Landform: Marshes on marine terraces
Landform position (three-dimensional): Talf
Down-slope shape: Linear
Across-slope shape: Linear
Hydric soil rating: Yes

Okeelana

Percent of map unit: 2 percent
Landform: Depressions on marine terraces
Landform position (three-dimensional): Dip
Down-slope shape: Concave
Across-slope shape: Concave
Hydric soil rating: Yes

36—Udorthents

Map Unit Setting

National map unit symbol: 1hn9j
Mean annual precipitation: 60 to 68 inches

Custom Soil Resource Report

Mean annual air temperature: 72 to 79 degrees F

Frost-free period: 358 to 365 days

Farmland classification: Not prime farmland

Map Unit Composition

Udorthents and similar soils: 100 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Udorthents

Setting

Landform: Marine terraces

Landform position (three-dimensional): Interfluve

Down-slope shape: Convex

Across-slope shape: Linear

Parent material: Altered marine deposits

Typical profile

C - 0 to 57 inches: cobbly sand

Properties and qualities

Slope: 2 to 40 percent

Depth to restrictive feature: More than 80 inches

Natural drainage class: Well drained

Runoff class: Negligible

Capacity of the most limiting layer to transmit water (Ksat): High to very high (5.95 to 19.98 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None

Frequency of ponding: None

Salinity, maximum in profile: Non saline to very slightly saline (0.0 to 2.0 mmhos/cm)

Sodium adsorption ratio, maximum in profile: 4.0

Available water storage in profile: Very low (about 2.3 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 7s

Hydrologic Soil Group: A

Forage suitability group: Forage suitability group not assigned (G156AC999FL)

Hydric soil rating: No

38—Udorthents, shaped

Map Unit Setting

National map unit symbol: 1hn9l

Mean annual precipitation: 60 to 68 inches

Mean annual air temperature: 72 to 79 degrees F

Frost-free period: 358 to 365 days

Farmland classification: Not prime farmland

Map Unit Composition

Udorthents, shaped and similar soils: 90 percent

Minor components: 10 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Udorthents, Shaped

Setting

Landform: Marine terraces

Landform position (three-dimensional): Interfluvial, talus

Down-slope shape: Linear

Across-slope shape: Linear

Parent material: Altered marine deposits

Typical profile

C1 - 0 to 30 inches: gravelly sand

C2 - 30 to 50 inches: sand

2R - 50 to 54 inches: weathered bedrock

Properties and qualities

Slope: 0 to 45 percent

Depth to restrictive feature: 40 to 52 inches to paralitic bedrock

Natural drainage class: Somewhat poorly drained

Runoff class: Low

Capacity of the most limiting layer to transmit water (Ksat): High to very high (1.98 to 19.98 in/hr)

Depth to water table: About 24 to 32 inches

Frequency of flooding: None

Frequency of ponding: None

Salinity, maximum in profile: Non-saline to very slightly saline (0.0 to 2.0 mmhos/cm)

Sodium adsorption ratio, maximum in profile: 4.0

Available water storage in profile: Very low (about 2.2 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 7s

Hydrologic Soil Group: A

Forage suitability group: Forage suitability group not assigned (G156AC999FL)

Hydric soil rating: No

Minor Components

Udorthents

Percent of map unit: 10 percent

Landform: Marine terraces

Landform position (three-dimensional): Interfluvial

Down-slope shape: Convex

Across-slope shape: Linear

Hydric soil rating: No

39—Udorthents-Urban land complex

Map Unit Setting

National map unit symbol: 1hn9m
Mean annual precipitation: 60 to 68 inches
Mean annual air temperature: 72 to 79 degrees F
Frost-free period: 358 to 365 days
Farmland classification: Not prime farmland

Map Unit Composition

Udorthents and similar soils: 55 percent
Urban land: 40 percent
Minor components: 5 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Udorthents

Setting

Landform: Marine terraces
Landform position (three-dimensional): Interfluve
Down-slope shape: Convex
Across-slope shape: Linear
Parent material: Altered marine deposits

Typical profile

C1 - 0 to 30 inches: gravelly sand
C2 - 30 to 50 inches: sand
2R - 50 to 54 inches: weathered bedrock

Properties and qualities

Slope: 0 to 2 percent
Depth to restrictive feature: 40 to 72 inches to paralithic bedrock
Natural drainage class: Somewhat poorly drained
Runoff class: Low
Capacity of the most limiting layer to transmit water (Ksat): High to very high (1.98 to 19.98 in/hr)
Depth to water table: About 24 to 48 inches
Frequency of flooding: None
Frequency of ponding: None

Custom Soil Resource Report

Salinity, maximum in profile: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)

Sodium adsorption ratio, maximum in profile: 4.0

Available water storage in profile: Very low (about 2.2 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 7s

Hydrologic Soil Group: A

Forage suitability group: Forage suitability group not assigned (G156AC999FL)

Hydric soil rating: No

Description of Urban Land

Setting

Landform: Marine terraces

Landform position (three-dimensional): Interfluvial, talus

Down-slope shape: Linear

Across-slope shape: Linear

Minor Components

Arenas

Percent of map unit: 5 percent

Landform: Rises on marine terraces

Landform position (three-dimensional): Rise

Down-slope shape: Conical

Across-slope shape: Linear

Hydric soil rating: No

40—Urban Land, 0 to 2 percent slopes

Map Unit Setting

National map unit symbol: 2x9fc

Elevation: 0 to 200 feet

Mean annual precipitation: 40 to 68 inches

Mean annual air temperature: 68 to 79 degrees F

Frost-free period: 345 to 365 days

Farmland classification: Not prime farmland

Map Unit Composition

Urban land: 85 percent

Minor components: 15 percent

Estimates are based on observations, descriptions, and transects of the map unit.

Description of Urban Land

Setting

Landform: Hills on marine terraces, ridges on marine terraces, knolls on marine terraces, rises on marine terraces, flatwoods on marine terraces

Custom Soil Resource Report

Landform position (two-dimensional): Backslope, summit

Landform position (three-dimensional): Interfluve, side slope, riser, rise, talf

Down-slope shape: Linear, convex

Across-slope shape: Linear

Parent material: No parent material

Typical profile

M - 0 to 6 inches: cemented material

^C - 6 to 36 inches: paragravelly sand

2Ab - 36 to 46 inches: paragravelly fine sand

2Cb - 46 to 80 inches: paragravelly fine sand

Minor Components

Matlacha

Percent of map unit: 3 percent

Landform: Flats on marine terraces

Landform position (three-dimensional): Tread, talf

Down-slope shape: Convex, linear

Across-slope shape: Linear

Hydric soil rating: No

St. augustine

Percent of map unit: 3 percent

Landform: Marine terraces

Landform position (three-dimensional): Tread, rise

Down-slope shape: Linear

Across-slope shape: Convex

Hydric soil rating: No

Paola

Percent of map unit: 1 percent

Landform: Ridges on marine terraces, knolls on marine terraces

Landform position (two-dimensional): Summit, backslope

Landform position (three-dimensional): Side slope, interfluve, riser

Down-slope shape: Linear, convex

Across-slope shape: Linear

Other vegetative classification: Sand Pine Scrub (R155XY001FL)

Hydric soil rating: No

Pomello

Percent of map unit: 1 percent

Landform: Ridges on marine terraces, knolls on marine terraces

Landform position (two-dimensional): Summit, backslope

Landform position (three-dimensional): Side slope, interfluve, riser

Down-slope shape: Linear, convex

Across-slope shape: Linear

Other vegetative classification: Sand Pine Scrub (R155XY001FL)

Hydric soil rating: No

Adamsville

Percent of map unit: 1 percent

Landform: Rises on marine terraces, knolls on marine terraces

Landform position (three-dimensional): Tread, rise

Down-slope shape: Convex

Across-slope shape: Linear

Other vegetative classification: Upland Hardwood Hammock (R155XY008FL)

Custom Soil Resource Report

Hydric soil rating: No

Boca

Percent of map unit: 1 percent

Landform: Flats on marine terraces, drainageways on marine terraces

Landform position (three-dimensional): Tread, talf, dip

Down-slope shape: Convex, linear

Across-slope shape: Linear, concave

Other vegetative classification: South Florida Flatwoods (R155XY003FL)

Hydric soil rating: Yes

Eaugallie

Percent of map unit: 1 percent

Landform: Flatwoods on marine terraces

Landform position (three-dimensional): Tread, talf

Down-slope shape: Convex

Across-slope shape: Linear

Other vegetative classification: South Florida Flatwoods (R155XY003FL)

Hydric soil rating: No

Hallandale

Percent of map unit: 1 percent

Landform: Flatwoods on marine terraces

Landform position (three-dimensional): Tread, talf

Down-slope shape: Linear

Across-slope shape: Linear

Other vegetative classification: South Florida Flatwoods (R155XY003FL)

Hydric soil rating: Yes

Immokalee

Percent of map unit: 1 percent

Landform: Flatwoods on marine terraces

Landform position (three-dimensional): Riser, talf

Down-slope shape: Linear

Across-slope shape: Linear

Other vegetative classification: South Florida Flatwoods (R155XY003FL)

Hydric soil rating: No

Myakka

Percent of map unit: 1 percent

Landform: Drainageways on flatwoods on marine terraces

Landform position (three-dimensional): Tread, dip, talf

Down-slope shape: Linear

Across-slope shape: Linear, concave

Other vegetative classification: South Florida Flatwoods (R155XY003FL)

Hydric soil rating: No

Apopka

Percent of map unit: 1 percent

Landform: Hills on marine terraces, ridges on marine terraces

Landform position (two-dimensional): Backslope, summit

Landform position (three-dimensional): Interfluve, side slope, riser

Down-slope shape: Convex

Across-slope shape: Linear

Other vegetative classification: Longleaf Pine-Turkey Oak Hills (R155XY002FL)

Hydric soil rating: No

99—Water

Map Unit Composition

Water: 100 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

DRAFT