


SIGN NAME		TOL-SHIELD1			
QUANTITY		1			
WIDTH		2'-6"			
HEIGHT		3'-0"			
BORDER WIDTH		0.75"			
BORDER RADII		1.5"			
PANEL COLOR		Green			
LEGEND		White			
BORDER		White			
SYMBOL(S)	ANGLE	X	Y	WID	HT
FL_SM	0	6.9	3.1	16.2	15.4
SIGN NUMBER	CLEARANCE EDGE OF LANE	COLUMN SIZE STEEL			AVERAGE LENGTH



TO BE USED FOR TRAILBLAZING AND ON CROSS ROADS

[illegible][illegible][illegible][illegible]

SIGN NAME		TOL-SHIELD3				
QUANTITY		1				
WIDTH		4'-2"				
HEIGHT		5'-0"				
BORDER WIDTH		1.25"				
BORDER RADII		2.5"				
PANEL COLOR		Green				
LEGEND		White				
BORDER		White				
SYMBOL(S)	ANGLE	X	Y	WID	HT	
FL-LG	Ø	11.5	5	27	25.6	
SIGN NUMBER	CLEARANCE EDGE OF LANE	COLUMN SIZE STEEL			AVERAGE LENGTH	



SPECIAL APPLICATIONS

[illegible][illegible][illegible][illegible]

SIGN NAME		TOL-SHIELD2				
QUANTITY		1				
WIDTH		3'-4"				
HEIGHT		4'-0"				
BORDER WIDTH		1"				
BORDER RADII		2"				
PANEL COLOR		Green				
LEGEND		White				
BORDER		White				
SYMBOL(S)	ANGLE	X	Y	WID	HT	
FL_MD	0	9.2	3.1	21.6	20.4	
SIGN NUMBER	CLEARANCE EDGE OF LANE	COLUMN SIZE			AVERAGE LENGTH	




TO BE USED ON GUIDE SIGN PANELS AND POST INTERCHANGE SIGNING

COPY		F	L	O	R	I	D	A	'	S		L								
SPACE	3.7	3.7	3.7	4.5	4.3	2.2	4	5.1	2.1	3	3.7	32.6								

COPY		T	U	R	N	P	I	K	E		L									
SPACE	5.1	3.7	4.3	4.3	4.3	4.3	2.2	4.1	2.6	5.1	29.8									

[illegible][illegible][illegible][illegible]

SIGN NAME		RONALD 3			
QUANTITY		1			
WIDTH		4'-0"			
HEIGHT		4'-0"			
BORDER WIDTH		1"			
BORDER RADII		4"			
PANEL COLOR		Green			
LEGEND		White			
BORDER		White			
SYMBOL(S)	ANGLE	X	Y	WID	HT
SIGN NUMBER	CLEARANCE EDGE OF LANE	COLUMN SIZE			AVERAGE LENGTH

[illegible][illegible][illegible]

COPY		D	E	S	I	G	N	A	T	E	D		B	Y		1	9	9	8		L		
SPACE	7.4	2.1	1.9	2.1	0.9	2.1	2	2.1	1.9	1.9	1.6	2	2	2	2	1.1	2	2	1.6	7.4	33.3		

[illegible][illegible]

REVISIONS							STATE OF FLORIDA DEPARTMENT OF TRANSPORTATION			TYPICAL TRAILBLAZING SIGNS	SHEET NO.
DATE	BY	DESCRIPTION	DATE	BY	DESCRIPTION		ROAD NO.	COUNTY	FINANCIAL PROJECT ID		
											I

SIGN NAME		TOL-BRAND-2	QTY	1	SIGN NUMBER	STATION(S)	
PANEL		BORDER	none				
WIDTH	2'-0"	WIDTH	1'				
HEIGHT	1'-6"	RADII	3"				
LEGEND	White	COLOR	White				
COLOR	Green						
SYMBOL(S)	ANGLE	X	Y	WID	HT		
SIGN NUMBER	NUMBER OF POSTS	CLEARANCE Edge Of Lane	COLUMN SIZE		AVERAGE LENGTH		
NO. OF LIGHT FIXTURES		FIXTURE SPACING		PHOTOMETRIC CURVE		WATT	VOLTAGE

SIDE STREET APPLICATIONS

NOTES:
1. TOL-BRAND-2 SIGN PANEL TO BE USED ON SIDE STREETS LEADING TO THE FOLLOWING ROADWAYS WHICH ARE PART OF THE TURNPIKE SYSTEM:
BEACHLINE EXPRESSWAY, SR 528
SAWGRASS EXPRESSWAY, SR 869
SEMINOLE EXPRESSWAY, SR 417
SUNCOAST PARKWAY, SR 589
VETERANS EXPRESSWAY, SR 589
WESTERN BELTWAY, SR 429

COPY		B	e	a	c	h	i	i	n	e	L									
SPACE	2	2.7	2.4	2.5	2.5	2.7	1.3	1.3	2.6	2	2	20								
COPY		E	x	p	w	y		L												
SPACE	5	2.3	3	2.4	3.9	2.5	5	14												
COPY																				
SPACE																				
COPY																				
SPACE																				
COPY																				
SPACE																				
COPY																				
SPACE																				

SIGN NAME		TOL-BRAND-2	QTY	1	SIGN NUMBER	STATION(S)	
PANEL		BORDER	none				
WIDTH	2'-0"	WIDTH	1'				
HEIGHT	1'-6"	RADII	3"				
LEGEND	White	COLOR	White				
COLOR	Green						
SYMBOL(S)	ANGLE	X	Y	WID	HT		
SIGN NUMBER	NUMBER OF POSTS	CLEARANCE Edge Of Lane	COLUMN SIZE		AVERAGE LENGTH		
NO. OF LIGHT FIXTURES		FIXTURE SPACING		PHOTOMETRIC CURVE		WATT	VOLTAGE

SIDE STREET APPLICATIONS

NOTES:
1. TOL-BRAND-2 SIGN PANEL TO BE USED ON SIDE STREETS LEADING TO THE FOLLOWING ROADWAYS WHICH ARE PART OF THE TURNPIKE SYSTEM:
POLK PARKWAY, SR 570
WEKIVA PARKWAY, SR 429

COPY		P	O	L	K		L													
SPACE	6.5	3	3.2	2.6	2.2	6.5	11													
COPY		P	K	W	Y		L													
SPACE	6.3	3	2.6	3.3	2.6	6.3	11.5													
COPY																				
SPACE																				
COPY																				
SPACE																				
COPY																				
SPACE																				
COPY																				
SPACE																				

SIGN NAME			QTY		SIGN NUMBER	STATION(S)	
PANEL		BORDER					
WIDTH		WIDTH					
HEIGHT		RADII					
LEGEND		COLOR					
COLOR							
SYMBOL(S)	ANGLE	X	Y	WID	HT		
SIGN NUMBER	NUMBER OF POSTS	CLEARANCE Edge Of Lane	COLUMN SIZE		AVERAGE LENGTH		
NO. OF LIGHT FIXTURES		FIXTURE SPACING		PHOTOMETRIC CURVE		WATT	VOLTAGE

SIDE STREET APPLICATIONS

NOTES:
1. TOL-BRAND-2 SIGN PANEL TO BE USED ON SIDE STREETS LEADING TO THE FOLLOWING ROADWAYS WHICH ARE PART OF THE TURNPIKE SYSTEM:
POLK PARKWAY, SR 570
WEKIVA PARKWAY, SR 429

COPY		F	I	R	S	T		L												
SPACE	6.3	2.6	1.4	2.7	2.6	2	6.3	11.4												
COPY		C	O	A	S	T		L												
SPACE	5.3	3	2.8	2.9	2.6	2	5.3	13.4												
COPY		E	X	P	W	Y		L												
SPACE	5.1	2.4	2.9	2.7	3.3	2.6	5.1	13.9												
COPY																				
SPACE																				
COPY																				
SPACE																				
COPY																				
SPACE																				

REVISIONS					
DATE	BY	DESCRIPTION	DATE	BY	DESCRIPTION

STATE OF FLORIDA
DEPARTMENT OF TRANSPORTATION

ROAD NO. COUNTY FINANCIAL PROJECT ID

TYPICAL TRAILBLAZING SIGNS

3

8/5/2025

K1835M1 8/5/2025 3:00:10 PM